




SHIELD

CONSERVATORIES



Simply Beautiful

The Shield range of conservatories combines bold, strong frames with stylish lines and like all of our ranges they're designed to provide year-round enjoyment; crafted from high quality materials they provide you with a light, airy summer room and a warm cosy space to comfortably view the winter snows when equipped with optional heating.

Shield conservatories feature secure locking systems, and a wide range of options so you can personalise your choice to your heart's content.

We fabricate every window, door and roof ourselves so we control the quality of the product and you can be sure that the finished article will look perfect from the cill to the finial. Our use of the unique Synseal conservatory system ensures that every part connects to every other perfectly as all components and profile sections

are manufactured by a single supplier to a single, uniform design.

In addition we can even install a high-quality air-conditioning system that can both heat and cool your conservatory as well as purifying and dehumidifying the air so that you're always comfortable inside - whatever the weather outside.


So let us build you the room you know you deserve.




P-SHAPED

CONSERVATORY STYLES


3-SEGMENT VICTORIAN




GABLE END LEAN TO



5-SEGMENT VICTORIAN



EDWARDIAN





GABLE END



WHITE FINISH



LEAN-TO



WOODGRAIN FINISH



EDWARDIAN



LIGHT OAK FINISH



FAMILY SPACES



3-SEGMENT VICTORIAN



SIDE DOOR OPTION

SHIELD CONSERVATORIES SPECIFICATION

DESIGN

Any Shield conservatory can incorporate windows and doors from our Shield window range to ensure that you gain the same benefits in your conservatory as you would in any other room of your home. We can offer a wide range of roof styles and either full-height or dwarf wall options.

Our conservatories benefit from our use of an integrated roofing system that ensures that the roof fits the windows perfectly, even matching the colours and shapes of the separate profiles.

GLAZING

The windows are fitted as standard with 28mm square-edged sealed glazing units - as determined by the type of window chosen.

The roof can be glazed using either high-quality polycarbonate which helps to reduce glare in bright sunlight, or toughened glass sealed units which conserve heat during the winter.

REINFORCEMENT

The intrinsic strength of the profile is supplemented by the inclusion of Steel and Aluminium reinforcing in transoms, mullions, opening vents and the outer frame.

WEATHERSEALS

Dual weatherseals fitted to all opening vents have excellent weathering characteristics to ensure long-term reliability and consistent performance.

HARDWARE

The hinges, locks and handles used on the Shield range have been chosen to provide the combined benefits of reliable operation, ease of opening, high security when closed and colours to match the window.

The window locks used are tough shootbolts combined with locking studs on larger openings.

QUALITY ASSURANCE

Newark Glass is registered to ISO9001:2000 for the manufacture of windows, doors, sealed units and conservatories and employs full-time QA staff including Inspectors and Testers.

FURTHER DETAILS

Details of the full Shield range and our other products are available from any of our offices and on our website:

WWW.NEWARKGLASSGROUP.COM



LOCKING HANDLE



CEILING FAN OPTION



www.securedbydesign.com



OAK TREE HOUSE, BRUNEL DRIVE
NEWARK, NG24 2EG - 01636 610088
WWW.NEWARKGLASSGROUP.COM

